

# Instantly Diagnose the Health of Your Vehicle



This manual will guide you through the steps for using the Automend Pro device and app.

With the Automend Pro connected to your vehicle's onboard diagnostics port and the free app installed on your smartphone, you'll be able to diagnose any mechanical issues with the tap of a button.

## IMPORTANT SAFETY INFORMATION

To prevent personal injury or damage to vehicles and/or your Automend Pro device, read the following guidelines carefully to ensure proper usage.

- Always perform vehicle diagnostic testing in a safe environment.
- The driver should not be using the app when the vehicle is in motion.
- · Be mindful of excess exhaust fumes.
- Avoid jamming the Automend Pro device into the port as you don't want to break any of the pins.
- The device is not a toy. Keep away from children.
- Do not attempt to insert Automend Pro into any socket other than your vehicle's OBD-II port.
- Automend Pro is designed to detect problems with your vehicle so a technician can accurately fix them. It is your responsibility to decide on the appropriate actions to take once an issue has been detected.
- Just because you have cleared the Check Engine light from your dash using the app, that doesn't mean the
  problem has been fixed. You need to repair the underlying problem to make the Check Engine Light
  disappear for good.

# **Tips**

- If you are having trouble locating your OBD-II port, consult your vehicle's user manual. In most vehicles, it can be found under the dashboard, beneath the steering column.
- You may leave the Automend Pro plugged in, but if your vehicle is left for days without being driven, it is recommended that you unplug Automend Pro.

# **Installing The Automend Pro App:**

Download the Automend Pro app onto your iOS or Android smartphone or tablet by scanning the QR code or by searching "Automend Pro" in the App Store or Google Play Store.

After downloading, register a new account using your email address and a password of your choosing. You can also log on using your ID from one of the supported social media platforms.

#### Pairing the Device:

- 1. Plug in the Automend Pro into the OBD-II port.
- 2. Go to My Vehicles. Tap the + symbol. On the Add New Vehicle screen, tap Auto Detec-VIN to scan the Automend Pro.
- 3. Select your Automend Pro in the list. On the Add New Vehicle screen, enter the requested information. Tap Save to finish.
- 4. After pairing, go to the Scan screen and tap Start to scan.



#### LINK TO STORE:

#### iOS:

https://itunes.apple.com/app/id1479656629

#### Android:

https://play.google.com/store/apps/details?id=com.thinktech.automendpro







**Android App** 

# Navigating the App

The Automend Pro app is comprised of 5 main tabs. Some of the links you tap on will take you outside the app. If you wish to get back to one of the main screens, tap the arrow pointing left located at the top left-hand corner of your mobile device.

Tap on the listed tabs at the bottom of your app screen to navigate between them: Scan, My Vehicles, Features, Shop, and

If you wish to log out of the Automend Pro app, go to the Settings tab and tap the Log Out button.




### Scan


- Start with your engine turned off while seated behind the steering wheel. Locate your vehicle's OBD-II port and plug in your Automend Pro device.
- Turn on the ignition.
- Make sure your smartphone or tablet is connected to the internet and the Bluetooth function is turned on.

Log into your Automend Pro app by tapping on its icon on your mobile device.


Helpful Hint: The Car Troubleshooting guide that appears on the Scan screen provides a list of common mechanical issues along with advice for resolving each.







Note: If a list of Bluetooth devices appears after tapping the button, select the device you are using from the list and tap the Scan Vehicle button again.



6 When the scanning is complete, a Diagnostic Report will be displayed. If any issues are found, they will be listed as Detected Problems, Possible Problems, or Permanent Problems.


These are color-coded according to their level of severity.

Anything problem marked red should be considered extremely critical.

Tap on any of Detected Problems to learn more information about each one.

Automend Pro provides a full breakdown of that issue including online discussions, links to resources, and probable causes.


**Note:** You may be provided the option of temporarily clearing away the Check Engine Light on your dashboard by selecting Clear Vehicle Alarms. If you wish to clear the issues on the app, select Clear.



## My Vehicles

Every vehicle you have added to the Automend Pro app will be displayed on this screen.


Tap the (...) to access that vehicle's information. You can tap on History to revisit its previous Diagnostic Reports and Detected Problems. Finally, if you want to log out, go to the Settings tab.



#### General

Ensure you get the most out of your Automend Pro by customizing your preferences.

- Unit of measure
- Language preferences
- Terms of Service




#### **Features**

Selecting the Features tab (the Crown icon) at the bottom of your screen brings up a menu of the app's Premium Features. These will help you keep track of everything from your vehicle's performance to how much time is left on your parking meter.

You'll need to enter the requested information for each category to get started.


- TRIP EXPENSES
- CAR EXPENSES
- EMISSION PRE-CHECK
- REAL-TIME TRACKING
- FUEL EFFICIENCY
- VEHICLE MAINTENANCE
- CAR PARKING




# **Indicator Library**

Presents a list of dashboard symbols you may see and what they indicate:

- WARNING SYMBOLS
- SAFETY SYMBOLS
- LIGHTING SYMBOLS
- COMMON SYMBOLS
- ADVANCED FEATURE SYMBOLS
- DIESEL-POWER VEHICLE SYMBOLS





# **Car Troubleshooting**

This is a list of common mechanical issues along with a search bar so you can look up specific topics:

- FAULTY ELECTRICALS
- DAMAGED ALTERNATOR
- FAULTY BATTERY
- ENGINE WON'T START

And a lot more...



# **Shop**

Do you know someone else who could benefit from having Automend Pro? Now you have a direct link for ordering online that will save you money.



Easily Diagnose Your Car's Problems
– Right from Your Cellphone!

★★★★ - XXXX Sold


#### Step 1: Select Order Quantify



Item Amount


#### **Feedback**

Feel free to leave us a review by submitting your thoughts here.




# **Support**

Find our various contact phone numbers and official website address here.



# **Log Out**

Tap the button here when you wish to log out of the app. You don't always have to log out, but it's recommended for extra security.





#### Q. Should I unplug the Automend Pro from the OBD2 port after using it?

**A.** Although it doesn't use much battery power, we suggest unplugging the device if you are not going to be using your vehicle for several days.

#### Q. I can't get my Automend Pro device to work. What should I do?

**A.** If you are not getting any readings, you could have a blown fuse. Another reason is that the OBD port might be dirty. Use compressed air or a soft, clean cloth to carefully remove any dust or residue.

#### Q. I scanned my vehicle and got the message "ECU does not support this command." What does this mean?

**A.** The electronic control unit (ECU) or electronic control module (ECM) is your car's computer system. Your vehicle's ECU may not support all diagnostic tests.

# Q. I went to scan my car and a message popped up saying "You need to add a new vehicle." What does this mean?

**A.** It means you need to add information about the type of vehicle you will be scanning. This is done by tapping the My Vehicles tab at the bottom of your screen. Automend Pro can be used to scan multiple vehicles. Tap the + in the upper right-hand corner of your screen to add another vehicle.

# **TECHNICAL SPECIFICATIONS**



Dimensions	48 x 25 x 25 mm
Communication Method	Bluetooth 4.0
Supported Operating Systems	Android / iOS
Operating Voltage	9V - 16V
Operating Current	25mA
Operating Temperature	-40°C – 85°C
Operating Humidity	<60%



Subject to change.

At the end of its service life, this product may not be disposed of in the normal household waste, but rather must be disposed of at a collection point for recycling electrical and electronic devices. The materials are recyclable according to their labelling. You make an important contribution to protecting our environment by reusing, recycling, or utilizing old devices in other ways. Please ask the municipal administration where the appropriate disposal facility is located.

## **GET IN TOUCH**

## Thank you for choosing Automend Pro!

Have questions about our products?

You can contact our helpful customer service team by going to

https://support.buyautomendpro.com/hc/en-us

or by scanning the QR code below.

We're always happy to help!

